



E-ISSN: 2320-7078

P-ISSN: 2349-6800

JEZS 2019; 7(6): 271-273

© 2019 JEZS

Received: 13-09-2019

Accepted: 15-10-2019

Mohan M
 ICAR-National Dairy Research
Institute, Southern Regional
Station, Adugodi, Bengaluru,
Karnataka, India
Das DN
 ICAR-National Dairy Research
Institute, Southern Regional
Station, Adugodi, Bengaluru,
Karnataka, India
Avinash CH
 ICAR-National Dairy Research
Institute, Southern Regional
Station, Adugodi, Bengaluru,
Karnataka, India
Ramesha KP
 ICAR-National Dairy Research
Institute, Southern Regional
Station, Adugodi, Bengaluru,
Karnataka, India
Corresponding Author:**Das DN**
 ICAR-National Dairy Research
Institute, Southern Regional
Station, Adugodi, Bengaluru,
Karnataka, India

Influential non-genetic parameters affecting milk yield performance in Deoni cows

Mohan M, Das DN, Avinash CH and Ramesha KP

Abstract

The study aimed to understand effect of non-genetic factors influencing milk yield performance in Deoni cows. A total of 821 lactation records from 340 lactating cows along with their age at first calving, Parity, Season of calving were collected. These data were standardized and analysed for significant difference. Deoni showed significant increase ($P < 0.05$) in both lactation milk yield and lactation length with increase in parity. Season of calving had significant affects ($P < 0.05$) on lactation milk yield but not in lactation length. Increase in age at first calving revealed there was a significant difference ($P < 0.05$) in both lactation milk yield and lactation length. Lactation milk yield and lactation length in Deoni cows were significantly affected by all factors considered in the study viz., parity, season of calving and age at first calving, whereas season of calving doesn't affect lactation length significantly.

Keywords: Deoni, milk yield, lactation length, season, age

1. Introduction

Deoni is an important indigenous dual-purpose breed of Southern and south western India. These animals received its name from place of their origin "Deoni" taluk of lathur district in Maharashtra. It is also known as Surti, Dongarpati. By earlier studies Deoni is found to be a cross of Gir, Dangi and some local cattles^[1]. Based on its coat colour three strains Wannera (White coat with black colourization in face), Balankya (Completely white coat with black spots in lower parts) and Shevera (White coat with irregular black spots)^[2].

Variation in milk yield were depends on animals genotypic value and environment deviation. Majority of change in animal's performance was governed by non-genetic factors. Thus, to estimate genetic merit of an animal it is crucial to understand the non-genetic factors affecting production traits and the effective ways to minimize environmental deviation^[3-7]. Hence in this study to understand the effect of about non-genetic factors like animal's parity, age at first calving and season of calving affecting lactation milk yield and its corresponding lactation length in Deoni cows were taken into account.

2. Materials and Methods

2.1 Data source

A total of 821 lactation records collected from 340 Deoni cattle maintained in Livestock Research Centre, ICAR-National Dairy Research Institute, Southern Regional station, Bengaluru between 2002 to 2017 were used for the present study.

2.2 Data Normalization

The milk performance traits like lactation milk yield and lactation length were studied. Data for milk yield traits were classified on basis of parity into six group 1st to 5th parity as one distinct group and greater than 5th parity were pooled into a single group. Based on Season of calving data were classified into three groups of animals calved during Monsoon (July to October), Summer (March to June) and Winter season (November to February). Based on age at first calving data were classified into three groups as animals calved within 40 months, between 40-50 months and exceeding 50 months. Animals having incomplete records due to abortion and still birth were excluded from the study. The data were standardized by taking the records of the performances within the range of two Standard deviation from the mean value.

2.3 Least square analysis

Least squares analysis technique [8] was used for non-orthogonal data to find the effect of parity, season of calving and age at first calving on lactation milk yield (LMY) and lactation length (LL) of the cattle as per the following formula,

$$Y_{ij} = \mu + F_i + e_{ij}$$

Where, Y_{ij} = Performance record (LMY and LL) of the j^{th} cow under i^{th} subclass of the non-genetic factor

μ = overall population mean

F_i = i^{th} subclass of the non-genetic factor

($i = 1, 2, 3, 4, 5$ and >5 for Parity)

$i = 1, 2$ and 3 for season of calving and

$i = 1, 2$ and 3 for age at first calving)

e_{ij} = Random error which is normally independently distributed

($0, \sigma_2e$)

Pairwise comparison of the least squares means was analysed by Duncan's Multiple Range Test (DMRT) [9] and its significance were estimated by one-way ANOVA using SPSS 16.0 software [10].

3. Results and Discussion

In the present study analysis of 821 lactation records, collected from 340 lactating cows revealed that least squares mean lactation milk yield of 870.70 ± 42.46 kg in a lactation length of 192.5 ± 8.54 days.

Further, it was observed that there was an increase in lactation milk yield which started from the fourth lactation and reached highest in greater than fifth lactation with a yield of 1084.61 ± 58.62 kg in a lactation length of 230 ± 9.3 days (Table. 1). It was also observed that animal's first lactation exhibited the lowest milk yield of 662.05 ± 25.6 kg in a period of 174 ± 10.3 days.

Earlier reports had shown lower lactation milk yield and lactation length compared to the present study [11-14]. Records of higher lactation milk yield and lactation length in Deoni cattle were reported [15] as 942.7 ± 16.6 kg and 293.3 ± 2.9 days respectively. Based on ANOVA, it was revealed that with an increase in lactation number, there was a significant (P value < 0.01) increase in lactation milk yield and lactation length (Table 3). In Ongole breed, similar kind of results was reported [6] in which significant enhancement in lactation milk yield was recorded after third parity. In the same study, an increase in parity showed non-significant effect on lactation length. Reports of [5] exhibited that parity has no significant effect on lactation milk yield and lactation length of Deoni cattle.

Season of calving showed a significant effect on the lactation milk yield but not on lactation length (Table 3). Animals calved during winter showed a higher level of milk production in comparison with animals calved during summer and rainy seasons (Table 1). Similar kind of results was reported in Ongole cattle [6] and Khillar cattle [7] for lactation milk yield. [5] found that season of calving had non-significant effect on lactation milk yield and lactation length in Deoni cattle. Effect of season of calving on lactation milk yield could be due to the availability of sufficient good quality fodder resources.

Animals were grouped based on age at first calving with its corresponding lactation milk yield and lactation length were estimated. Results revealed that animals calved before 40 months showed higher lactation milk yield and lactation length than to animals calved between 41 and 50 months and higher than 51 months (Table.2). ANOVA revealed that highly significant change in lactation milk yield and lactation length between age groups (Table.3). Similar result was observed in Deoni where age at first calving significantly affected lactation milk yield [16].

Table 1: Least squares Mean \pm S.E of lactation milk yield and lactation length based on non-genetic factors

Subclass	N	Lactation Milk Yield(kg)	Lactation length(days)
Overall	821	870.70 \pm 42.40	192.5 \pm 8.54
Parity			
I	258	662.05 \pm 25.61 ^a	174 \pm 10.3 ^a
II	212	787.1 \pm 29.85 ^b	185 \pm 8.5 ^b
III	152	818.17 \pm 35.19 ^b	191 \pm 5.8 ^c
IV	97	933.52 \pm 45.01 ^c	201.8 \pm 7.3 ^{cd}
V	57	938.79 \pm 60.14 ^c	201 \pm 10 ^{cd}
VI	45	1084.61 \pm 58.62 ^d	230 \pm 9.3 ^d
Season of Calving			
Winter	297	881.61 \pm 27.42 ^b	198.42 \pm 4.27 ^{ab}
Summer	283	783.47 \pm 25.68 ^a	190.34 \pm 4.63 ^a
Monsoon	241	843.53 \pm 26.33 ^b	192.83 \pm 4.38 ^a

(a, b, c represents groups classified by DMRT, LSM with different superscript differs significantly)

Table 2: Least squares Mean \pm S.E of lactation milk yield and lactation length based on effect of Age at first calving

Subclass	N	Lactation Milk Yield (kg)	Lactation length (days)
Age at First calving(months)			
≤ 40	47	745.29 \pm 45.81 ^b	187.45 \pm 7.21 ^b
41-50	182	630.83 \pm 34.94 ^a	164.79 \pm 5.47 ^a
> 50	67	663.49 \pm 50.5 ^a	182.05 \pm 10.7 ^b

(a, b, c represents groups classified by DMRT, LSM with different superscript differs significantly)

Table 3: Mean sum of squares of lactation milk yield and lactation length under various non-genetic effect

Production Trait	Parity	Season of calving	Age at first calving
LMY	2509873.5**	5617660.60*	195351.89*
LL	29746.82*	4392.76 ^{NS}	13583.77*

(NS=non-Significant, * significant at P-value=0.05, ** significant at P value=0.01)

4. Conclusion

Indigenous cattle's lactation yield is an important parameter influence decision for its longevity or disposal. Lactation milk yield and lactation length in Deoni cows were significantly affected by all factors considered in the study *viz.*, parity, season of calving, age at first calving and sire effect, whereas season of calving didn't affect lactation length significantly.

5. Acknowledgement

We are thankful to Director, ICAR-NDRI, Karnal, Head of Station, ICAR-NDRI-SRS, Bengaluru and In-Charge of Livestock Research Centre, for providing data and the necessary facilities to carry out the study.

6. References

- Joshi NR, Phillips NR. Zebu cattle of India and Pakistan. Food and Agriculture Organization of the United Nations; Rome, 1953.
- Singh G, Gaur GK, Nivsarkar AE, Patil GR, Mitkari KR. Deoni cattle breed of India. A study on population dynamics and morphometric characteristics. *AGRI*. 2002; 32:35-43. <https://doi.org/10.1017/S101423390000153X>
- Nagpal MP, Acharya RM. Studies on Sahiwal dairy herd records: Effect of nongenetic factors. *Indian J. Anim. Sci.* 1971; 41(7):515-520.
- Dhumal MV, Butte SV, Haytnagarkar DD. Non-genetic factors affecting lactation milk yield and lactation length of Deoni cattle. *Indian J Anim. Prod. Mgmt.* 1993 9(23):135-137.
- Gandhi RS, Gurnani M, Singh A. Influence of nongenetic factors on some economic traits of Sahiwal cattle. *Indian J Dairy Sci.* 1995; 48(10):605-606.
- Kumar KD, Reddy CE, Gupta BR, Satyanarayana A. Effect of year, season and lactation order on the performance of Ongole cattle. *Indian J Anim. Sci.* 2003; 73(11):1289-1290
- Dhaware SA, Deshpande KS, Thombre BM, Deshmukh DS, Chauhan DS. Factors affecting productive and reproductive traits in Khillar breed of cattle in Maharashtra. *Indian J Anim. Res.* 2008; 42(1):57-59.
- Harvey WR. Least squares analysis of data with unequal subclass numbers. ARS. USDA. Iowa state University. USA, 1966.
- Kramer CY. Extension of multiple range tests to group means with unequal numbers of replication. *Biometrics.* 1957; 12:307-319.
- SPSS Inc. Released. SPSS for Windows, Chicago. 2007; version 16.0.
- Das DN, Kataktalware MK, Ramesha KP, Reddy AO. Productive and reproductive performances of Deoni cattle under intensive management system. *Indian J. Anim. Sci.* 2011; 81(11):1186-1188.
- Basak S, Das DN. Effect of parity, period and season of calving on production and reproduction traits on Deoni cattle. *J Anim. Health Prod.* 2018; 6(1):1-4.
- Chakravarthy MK, Sasidhar PKV, Reddy YR. Productive and reproductive performance of Deoni cattle. *Indian J Dairy Sci.* 2002; 55(1):56-57.
- Bhutkar SS, Thombre BM, Bainwad, DV. Effect of Non-Genetic Factors on Production Traits in Deoni Cows. *J of Agri. Vet. Sci.* 2014; 7(12):9-14
- Deshpande KS, Singh BP. Genetic studies on Deoni cattle II. Lactation milk yield, peak yield and days taken to reach peak yield. *Indian Vet. J.* 1977; 54:727-731.
- Basak S. Molecular characterization of CYP11B1 and PPARGC1A Genes and prediction of breeding value for first lactation milk yield in deoni cattle Master's thesis ICAR-NDRI, Karnal, 2013.